

Fall Protection Quiz-2

1. A Personal Fall Arrest System should ensure that it brings the employee to a complete stop and its maximum deceleration distance should be...
 - **(A) 3 ½ feet**
 - (B) 5 feet
 - (C) 6 feet
 - (D) 6 ½ feet
2. Which of the following components is no longer a part of the Personal Fall Arrest System?
 - (A) Full Body Harnesses
 - (B) Self closing self latching hardware
 - **(C) Body Belts**
 - (D) Y lanyards
3. Which lifeline allows the worker to move up and down the entire height of the line rather than having to disconnect and find a new tie-off point on the tower or ladder he or she is climbing?
 - (A) Horizontal Lifeline
 - **(B) Vertical Lifeline**
4. Fall protection equipment must be inspected...
 - **(A) At the beginning of each use**
 - (B) Once every month
 - (C) At the end of each shift
 - (D) Frequently
5. Who is responsible for training employees on erecting, repairing, dismantling, and inspecting scaffolding equipment?
 - **(A) The Competent Person**
 - (B) The Qualified Person
 - (C) The Authorized Employee
 - (D) None of the above

6. Who is responsible for training employees who perform work while on a scaffold?
- (A) The Competent Person
 - **(B) The Qualified Person**
 - (C) Either a or b
 - (D) None of the above
7. Working on scaffold during winds above ____ miles per hour is prohibited by OSHA
- (A) 10
 - (B) 25
 - **(C) 40**
 - (D) 50
8. A scaffold and its components should be able to support ____ times the maximum load intended.
- **(A) 4**
 - (B) 6
 - (C) 8
 - (D) 10
9. It is sometimes acceptable to work on scaffolds that are covered with ice, and snow.
- (A) True
 - **(B) False**
10. Which of these images displays “safe ladder habits?” (Shown next page)
- (A)
 - (B)
 - (C)
 - (D)
 - **(E) None of the above.**

(a)



(b)



(c)



(d)

